

| N-min-Praxisproben im Frühjahr 2009 (Stand 24.03.2009) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | |
|--|-------------------|-----------------------------|----------|----------|-------------------------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Mittel | Max |
| | | [--- -- kg / ha ---] | | | --- | | |

Gesamt

| | | | | | | | |
|--------|------|----|----|----|----|----|-----|
| Proben | 2753 | 26 | 34 | 28 | 12 | 88 | 352 |
|--------|------|----|----|----|----|----|-----|

ALFF

| | | | | | | | |
|---------|------|----|----|----|----|----|-----|
| Altmark | 576 | 27 | 27 | 23 | 14 | 76 | 263 |
| Mitte | 1008 | 26 | 39 | 33 | 12 | 98 | 294 |
| Anhalt | 335 | 23 | 28 | 24 | 18 | 75 | 352 |
| Süd | 834 | 27 | 36 | 27 | 15 | 91 | 282 |

ALFF Bodenart

| | Bodenart | | | | | | | |
|---------|---------------|-----|----|----|----|----|-----|-----|
| Altmark | Sand | 58 | 28 | 23 | 21 | 16 | 71 | 263 |
| | lehmiger Sand | 188 | 28 | 27 | 23 | 14 | 78 | 263 |
| | sandiger Lehm | 190 | 25 | 26 | 23 | 20 | 74 | 190 |
| | Lehm | 99 | 28 | 27 | 22 | 17 | 78 | 204 |
| | lehmiger Ton | 37 | 29 | 32 | 22 | 22 | 83 | 230 |
| | Schwarzerde | - | - | - | - | - | - | - |
| | Anmoor | 3 | 13 | 9 | 15 | 30 | 37 | 45 |
| | Niedermoor | 1 | 9 | 6 | 15 | 30 | 30 | 30 |
| Mitte | Sand | 14 | 26 | 32 | 29 | 37 | 88 | 173 |
| | lehmiger Sand | 43 | 28 | 34 | 29 | 12 | 90 | 251 |
| | sandiger Lehm | 306 | 26 | 40 | 36 | 21 | 102 | 279 |
| | Lehm | 329 | 27 | 41 | 33 | 24 | 101 | 294 |
| | lehmiger Ton | 89 | 33 | 39 | 28 | 27 | 100 | 209 |
| | Schwarzerde | 226 | 22 | 36 | 32 | 23 | 89 | 207 |
| | Anmoor | 1 | 9 | 12 | 22 | 42 | 42 | 42 |
| | Niedermoor | - | - | - | - | - | - | - |
| Anhalt | Sand | 19 | 20 | 15 | 15 | 25 | 50 | 108 |
| | lehmiger Sand | 133 | 23 | 24 | 20 | 18 | 67 | 192 |
| | sandiger Lehm | 62 | 22 | 30 | 24 | 18 | 76 | 352 |
| | Lehm | 88 | 27 | 39 | 31 | 20 | 97 | 253 |
| | lehmiger Ton | 4 | 24 | 28 | 19 | 37 | 70 | 115 |
| | Schwarzerde | 29 | 16 | 25 | 22 | 35 | 63 | 259 |
| | Anmoor | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - |
| Süd | Sand | 1 | 11 | 3 | 6 | 20 | 20 | 20 |
| | lehmiger Sand | 43 | 28 | 35 | 27 | 52 | 89 | 282 |
| | sandiger Lehm | 256 | 28 | 34 | 27 | 22 | 89 | 237 |
| | Lehm | 447 | 27 | 36 | 27 | 15 | 89 | 257 |
| | lehmiger Ton | 40 | 26 | 43 | 30 | 33 | 100 | 216 |
| | Schwarzerde | 47 | 33 | 44 | 32 | 53 | 109 | 216 |
| | Anmoor | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2009 (Stand 24.03.2009) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | |
|--|-------------------|-----------------------------|----------|----------|-------------------------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Mittel | Max |
| | | [--- -- kg / ha --- | | | --- | | |

Ackerzahlgruppe

| | | | | | | | |
|------------|-----|----|----|----|----|-----|-----|
| <= 20 | 4 | 48 | 43 | 35 | 46 | 125 | 263 |
| 21 ... 30 | 105 | 25 | 23 | 19 | 16 | 67 | 197 |
| 31 ... 40 | 245 | 26 | 24 | 22 | 12 | 72 | 263 |
| 41 ... 50 | 385 | 25 | 29 | 23 | 20 | 78 | 205 |
| 51 ... 60 | 213 | 28 | 34 | 26 | 16 | 88 | 352 |
| 61 ... 70 | 592 | 26 | 32 | 25 | 16 | 83 | 252 |
| 71 ... 80 | 439 | 29 | 40 | 31 | 16 | 100 | 294 |
| 81 ... 90 | 582 | 24 | 38 | 33 | 15 | 95 | 275 |
| 91 ... 100 | 188 | 27 | 45 | 39 | 21 | 111 | 253 |

Bodenart

| | | | | | | | |
|-----------------------|-----|----|----|----|----|----|-----|
| S (Sand) | 92 | 26 | 22 | 21 | 16 | 69 | 263 |
| SI/IS (lehmiger Sand) | 407 | 26 | 27 | 23 | 12 | 77 | 282 |
| SL/sL (sandiger Lehm) | 814 | 26 | 34 | 29 | 18 | 90 | 352 |
| L (Lehm) | 963 | 27 | 37 | 29 | 15 | 93 | 294 |
| IT (lehmiger Ton) | 170 | 30 | 38 | 27 | 22 | 95 | 230 |
| Schwarzerde | 302 | 23 | 36 | 31 | 23 | 90 | 259 |
| Mo (Anmoor) | 4 | 12 | 10 | 17 | 30 | 39 | 45 |
| Niedermoor | 1 | 9 | 6 | 15 | 30 | 30 | 30 |

Nmin-Gehalte nach der im Herbst 2008 vorgenommenen N-Düngung

| | | | | | | | |
|-----------------------|------|----|----|----|----|----|-----|
| keine org. N-Düngung | 2447 | 26 | 34 | 28 | 12 | 88 | 352 |
| Stallmist | 50 | 22 | 34 | 28 | 25 | 84 | 252 |
| Gülle / Jauche | 103 | 31 | 30 | 24 | 28 | 85 | 235 |
| sonstige org. Düngung | 153 | 29 | 36 | 29 | 22 | 94 | 214 |

Nmin-Gehalte für die 2009 angebauten Fruchtartengruppen aus SBA

| | | | | | | | |
|-----------------------|------|----|----|----|-----|-----|-----|
| Getreide | 1814 | 26 | 35 | 29 | 12 | 90 | 294 |
| Hackfrüchte | 216 | 28 | 43 | 34 | 38 | 106 | 252 |
| Leguminosen | 11 | 23 | 31 | 29 | 26 | 84 | 113 |
| Ölfrüchte_Winter | 527 | 26 | 26 | 21 | 14 | 72 | 279 |
| Ölfrüchte_Sommer | 2 | 49 | 46 | 35 | 108 | 130 | 151 |
| Futterpflanze | 1 | 22 | 44 | 38 | 103 | 103 | 103 |
| Grünland | 16 | 19 | 17 | 14 | 23 | 50 | 133 |
| Feldgemüse | 92 | 24 | 43 | 36 | 30 | 102 | 352 |
| Heil- und Gewürz | 12 | 16 | 30 | 28 | 43 | 74 | 137 |
| Kernobst | 9 | 34 | 38 | 27 | 36 | 99 | 156 |
| Steinobst | 20 | 37 | 38 | 26 | 33 | 102 | 182 |
| Obst | - | - | - | - | - | - | - |
| Hopfen | 25 | 26 | 31 | 22 | 16 | 79 | 216 |
| Wein | 2 | 48 | 57 | 32 | 67 | 136 | 205 |
| Sonstiges | 6 | 34 | 59 | 66 | 91 | 159 | 263 |
| Winterzwischenfrüchte | - | - | - | - | - | - | - |
| Sommerzwischenfrüchte | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2009 (Stand 24.03.2009) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | |
|--|-------------------|-----------------------------|----------|----------|-------------------------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Mittel | Max |
| | | [--- -- kg / ha ---] | | | | | |

Nmin-Gehalte nach Vorfruchtgruppe aus SBA

| | | | | | | | |
|------------------------------|------|----|----|----|----|-----|-----|
| Getreide | 1624 | 25 | 32 | 26 | 14 | 83 | 279 |
| einjährige Körnerleguminosen | 36 | 28 | 47 | 41 | 29 | 116 | 251 |
| Ölfrüchte | 459 | 28 | 35 | 28 | 12 | 90 | 257 |
| Hackfrüchte | 371 | 27 | 38 | 30 | 21 | 96 | 294 |
| Futterpflanzen | 13 | 43 | 35 | 27 | 20 | 105 | 195 |
| Grünland | 14 | 20 | 18 | 15 | 23 | 52 | 95 |
| Feldgemüse | 104 | 30 | 55 | 45 | 30 | 129 | 352 |
| Heil- und Gewürzpflanzen | 24 | 16 | 39 | 35 | 21 | 90 | 197 |
| Obst | 30 | 35 | 38 | 26 | 33 | 99 | 182 |
| Dauerkulturen | 25 | 26 | 31 | 22 | 16 | 79 | 216 |
| sonstige / keine Angaben | 34 | 28 | 31 | 33 | 22 | 93 | 263 |
| Zwischenfrüchte | 1 | 37 | 30 | 22 | 89 | 89 | 89 |
| Brache | 18 | 25 | 31 | 23 | 31 | 79 | 177 |

Landkreise

| | | | | | | | |
|------------------------|-----|----|----|----|----|-----|-----|
| (kreisfrei) Dessau | 10 | 21 | 21 | 17 | 27 | 59 | 203 |
| (kreisfrei) Halle | 32 | 20 | 28 | 23 | 23 | 72 | 121 |
| (kreisfrei) Magdeburg | 51 | 25 | 38 | 29 | 37 | 92 | 202 |
| Altmarkkreis Salzwedel | 133 | 20 | 22 | 20 | 14 | 62 | 263 |
| Anhalt-Bitterfeld | 239 | 24 | 31 | 26 | 18 | 81 | 352 |
| Börde | 373 | 32 | 44 | 35 | 12 | 111 | 294 |
| Burgenlandkreis | 267 | 27 | 32 | 24 | 16 | 83 | 233 |
| Harz | 242 | 25 | 37 | 29 | 34 | 91 | 279 |
| Jerichower Land | 273 | 31 | 30 | 24 | 16 | 86 | 263 |
| Mansfeld-Südharz | 250 | 25 | 36 | 28 | 15 | 89 | 235 |
| Saalekreis | 285 | 31 | 41 | 30 | 26 | 102 | 282 |
| Salzlandkreis | 342 | 21 | 36 | 33 | 21 | 89 | 275 |
| Stendal | 170 | 25 | 24 | 22 | 17 | 71 | 227 |
| Wittenberg | 86 | 22 | 22 | 18 | 18 | 62 | 171 |

Probenahmedatum

| | | | | | | | |
|-------------------|------|----|----|----|----|-----|-----|
| 2. Kalenderwoche | - | - | - | - | - | - | - |
| 3. Kalenderwoche | - | - | - | - | - | - | - |
| 4. Kalenderwoche | 26 | 26 | 33 | 27 | 16 | 86 | 204 |
| 5. Kalenderwoche | 76 | 38 | 46 | 30 | 29 | 114 | 282 |
| 6. Kalenderwoche | 126 | 31 | 33 | 25 | 12 | 90 | 202 |
| 7. Kalenderwoche | 190 | 31 | 33 | 26 | 20 | 90 | 228 |
| 8. Kalenderwoche | 185 | 29 | 35 | 27 | 17 | 91 | 257 |
| 9. Kalenderwoche | 726 | 27 | 33 | 26 | 21 | 87 | 263 |
| 10. Kalenderwoche | 1108 | 24 | 34 | 28 | 15 | 86 | 352 |
| 11. Kalenderwoche | 272 | 25 | 36 | 33 | 16 | 94 | 275 |
| 12. Kalenderwoche | 44 | 19 | 31 | 28 | 23 | 79 | 162 |
| 13. Kalenderwoche | - | - | - | - | - | - | - |
| 14. Kalenderwoche | - | - | - | - | - | - | - |