

| N-min-Praxisproben im Frühjahr 2012 (Stand: 12.03.2012) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Gesamt

| | | | | | | | | |
|-----------------|------|----|----|----|---|----|----|-----|
| Proben (gesamt) | 2460 | 26 | 31 | 24 | 5 | 67 | 81 | 561 |
|-----------------|------|----|----|----|---|----|----|-----|

ALFF

| | | | | | | | | |
|---------|------|----|----|----|----|----|----|-----|
| Altmark | 289 | 16 | 14 | 15 | 8 | 39 | 45 | 138 |
| Mitte | 492 | 27 | 33 | 26 | 9 | 78 | 86 | 410 |
| Anhalt | 303 | 23 | 31 | 24 | 5 | 58 | 78 | 561 |
| Süd | 1376 | 29 | 33 | 24 | 12 | 76 | 87 | 415 |

ALFF Bodenart

| | | | | | | | | | |
|---------------------------------|----------------------------------|-----|----|----|----|----|-----|-----|-----|
| A l t m a r k | Sand | 26 | 16 | 8 | 12 | 11 | 34 | 37 | 65 |
| | lehmiger Sand | 121 | 14 | 13 | 14 | 12 | 36 | 42 | 136 |
| | stark lehmiger Sand | 100 | 16 | 15 | 16 | 8 | 43 | 47 | 106 |
| | sandiger bis schluffiger Lehm | 33 | 20 | 22 | 18 | 17 | 58 | 60 | 138 |
| | Ton | 6 | 20 | 18 | 17 | 27 | 44 | 56 | 121 |
| | Schwarzerde | - | - | - | - | - | - | - | - |
| | Anmoor | 2 | 9 | 6 | 13 | 23 | 29 | 29 | 34 |
| | Niedermoor | 1 | 10 | 5 | 14 | 29 | 29 | 29 | 29 |
| M i t t e | Sand | 10 | 20 | 14 | 21 | 32 | 53 | 55 | 88 |
| | lehmiger Sand | 28 | 27 | 26 | 24 | 11 | 72 | 78 | 159 |
| | stark lehmiger Sand | 114 | 30 | 39 | 30 | 23 | 88 | 100 | 410 |
| | sandiger bis schluffiger Lehm | 164 | 25 | 32 | 26 | 9 | 76 | 83 | 279 |
| | Ton | 89 | 27 | 28 | 20 | 15 | 70 | 76 | 205 |
| | Schwarzerde | 85 | 28 | 36 | 29 | 23 | 86 | 93 | 267 |
| | Anmoor | 2 | 11 | 11 | 20 | 32 | 42 | 42 | 52 |
| | Niedermoor | - | - | - | - | - | - | - | - |
| A n h a l t | Sand | 33 | 20 | 19 | 12 | 5 | 41 | 50 | 186 |
| | lehmiger Sand | 77 | 23 | 22 | 16 | 13 | 47 | 61 | 561 |
| | stark lehmiger Sand | 75 | 23 | 33 | 26 | 17 | 62 | 82 | 439 |
| | sandiger bis schluffiger Lehm | 69 | 24 | 46 | 37 | 22 | 71 | 107 | 426 |
| | Ton | 2 | 17 | 31 | 19 | 59 | 67 | 67 | 75 |
| | Schwarzerde | 47 | 23 | 30 | 24 | 26 | 59 | 77 | 278 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |
| S ü d | Sand | 6 | 43 | 27 | 23 | 50 | 78 | 93 | 156 |
| | lehmiger Sand | 95 | 31 | 34 | 27 | 20 | 76 | 92 | 334 |
| | stark lehmiger Sand | 645 | 30 | 33 | 24 | 19 | 76 | 86 | 415 |
| | sandiger bis schluffiger Lehm | 465 | 28 | 32 | 24 | 12 | 67 | 84 | 364 |
| | Ton | 50 | 33 | 42 | 28 | 25 | 101 | 103 | 366 |
| | Schwarzerde | 115 | 29 | 33 | 26 | 25 | 86 | 88 | 274 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2012 (Stand: 12.03.2012) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Ackerzahlgruppe

| | | | | | | | | |
|------------|-----|----|----|----|----|----|-----|-----|
| <= 20 | - | - | - | - | - | - | - | - |
| 21 ... 30 | 82 | 18 | 14 | 13 | 5 | 39 | 46 | 182 |
| 31 ... 40 | 207 | 19 | 18 | 15 | 11 | 41 | 52 | 561 |
| 41 ... 50 | 312 | 24 | 26 | 19 | 11 | 56 | 69 | 410 |
| 51 ... 60 | 203 | 26 | 28 | 22 | 8 | 66 | 75 | 415 |
| 61 ... 70 | 545 | 26 | 29 | 22 | 9 | 65 | 77 | 334 |
| 71 ... 80 | 553 | 29 | 34 | 26 | 12 | 81 | 89 | 300 |
| 81 ... 90 | 415 | 30 | 36 | 29 | 14 | 84 | 96 | 439 |
| 91 ... 100 | 143 | 30 | 46 | 38 | 23 | 95 | 113 | 426 |

Bodenart

| | | | | | | | | |
|----------------------------------|-----|----|----|----|----|----|----|-----|
| Sand | 75 | 20 | 15 | 14 | 5 | 41 | 50 | 186 |
| lehmiger Sand | 321 | 22 | 23 | 19 | 11 | 50 | 64 | 561 |
| stark lehmiger Sand | 934 | 28 | 32 | 24 | 8 | 72 | 83 | 439 |
| sandiger bis schluffiger Lehm | 731 | 26 | 33 | 23 | 15 | 73 | 84 | 366 |
| Ton | 147 | 29 | 33 | 23 | 15 | 73 | 84 | 366 |
| Schwarzerde | 247 | 28 | 33 | 27 | 23 | 79 | 88 | 278 |
| Anmoor | 4 | 10 | 9 | 17 | 23 | 33 | 35 | 52 |
| Niedermoor | 1 | 10 | 5 | 14 | 29 | 29 | 29 | 29 |

Nmin-Gehalte nach der im Herbst 2011 vorgenommenen N-Düngung

| | | | | | | | | |
|-----------------------|------|----|----|----|----|----|-----|-----|
| keine org. N-Düngung | 2138 | 26 | 30 | 23 | 5 | 66 | 79 | 561 |
| Stallmist | 48 | 38 | 40 | 28 | 18 | 85 | 105 | 342 |
| Gülle / Jauche | 86 | 29 | 32 | 24 | 13 | 71 | 85 | 272 |
| sonstige org. Düngung | 188 | 31 | 35 | 27 | 20 | 81 | 92 | 364 |

Nmin-Gehalte für die 2012 angebaute Fruchtartengruppen aus SBA

| | | | | | | | | |
|-----------------------|------|----|----|----|-----|-----|-----|-----|
| Getreide | 1597 | 27 | 32 | 25 | 5 | 76 | 85 | 415 |
| Hackfrüchte | 153 | 35 | 44 | 33 | 15 | 103 | 111 | 410 |
| Leguminosen | 5 | 24 | 39 | 43 | 42 | 110 | 106 | 165 |
| Ölfrüchte_Winter | 577 | 22 | 18 | 15 | 9 | 48 | 55 | 278 |
| Ölfrüchte_Sommer | 1 | 33 | 40 | 31 | 103 | 103 | 103 | 103 |
| Futterpflanze | 1 | 47 | 41 | 28 | 116 | 116 | 116 | 116 |
| Grünland | 48 | 28 | 29 | 19 | 24 | 58 | 75 | 193 |
| Feldgemüse | 56 | 27 | 65 | 52 | 29 | 114 | 145 | 439 |
| Heil- und Gewürz | 3 | 25 | 31 | 22 | 54 | 62 | 79 | 120 |
| Kernobst | - | - | - | - | - | - | - | - |
| Steinobst | 4 | 16 | 14 | 9 | 33 | 37 | 38 | 44 |
| Obst | - | - | - | - | - | - | - | - |
| Hopfen | 10 | 27 | 41 | 29 | 57 | 97 | 97 | 135 |
| Wein | - | - | - | - | - | - | - | - |
| Sonstiges | 4 | 86 | 99 | 50 | 101 | 138 | 234 | 561 |
| Winterzwischenfrüchte | - | - | - | - | - | - | - | - |
| Sommerzwischenfrüchte | - | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2012 (Stand: 12.03.2012) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Nmin-Gehalte nach Vorfruchtgruppe aus SBA

| | | | | | | | | |
|------------------------------|------|----|----|----|----|-----|-----|-----|
| Getreide | 1431 | 26 | 28 | 22 | 5 | 63 | 75 | 561 |
| einjährige Körnerleguminosen | 16 | 21 | 20 | 18 | 15 | 42 | 59 | 146 |
| Ölfrüchte | 481 | 28 | 32 | 25 | 11 | 74 | 85 | 415 |
| Hackfrüchte | 359 | 27 | 35 | 27 | 8 | 80 | 90 | 364 |
| Futterpflanzen | 60 | 23 | 24 | 19 | 21 | 56 | 67 | 193 |
| Grünland | 23 | 31 | 32 | 21 | 24 | 60 | 84 | 180 |
| Feldgemüse | 55 | 32 | 66 | 52 | 30 | 114 | 150 | 439 |
| Heil- und Gewürzpflanzen | 1 | 25 | 21 | 16 | 62 | 62 | 62 | 62 |
| Obst | 5 | 15 | 14 | 9 | 33 | 38 | 38 | 44 |
| Dauerkulturen | 10 | 27 | 41 | 29 | 57 | 97 | 97 | 135 |
| sonstige / keine Angaben | 13 | 17 | 15 | 18 | 18 | 36 | 50 | 126 |
| Zwischenfrüchte | - | - | - | - | - | - | - | - |
| Brache | 6 | 16 | 18 | 15 | 27 | 39 | 49 | 117 |

Landkreise

| | | | | | | | | |
|------------------------|-----|----|----|----|----|-----|-----|-----|
| (kreisfrei) Dessau | | | | | | | | |
| (kreisfrei) Halle | 3 | 70 | 65 | 27 | 79 | 112 | 162 | 295 |
| (kreisfrei) Magdeburg | 45 | 27 | 30 | 26 | 30 | 80 | 82 | 216 |
| Altmarkkreis Salzwedel | 83 | 13 | 11 | 12 | 11 | 32 | 36 | 72 |
| Anhalt-Bitterfeld | 273 | 24 | 33 | 25 | 13 | 59 | 82 | 561 |
| Börde | 238 | 27 | 34 | 27 | 11 | 80 | 88 | 410 |
| Burgenlandkreis | 487 | 29 | 32 | 22 | 19 | 67 | 82 | 342 |
| Harz | 146 | 26 | 30 | 24 | 22 | 72 | 80 | 243 |
| Jerichower Land | 103 | 18 | 16 | 16 | 8 | 43 | 50 | 136 |
| Mansfeld-Südharz | 303 | 29 | 30 | 23 | 14 | 74 | 81 | 415 |
| Saalekreis | 583 | 30 | 36 | 27 | 12 | 86 | 93 | 366 |
| Salzlandkreis | 63 | 30 | 37 | 29 | 9 | 85 | 96 | 224 |
| Stendal | 103 | 16 | 16 | 16 | 13 | 45 | 48 | 138 |
| Wittenberg | 30 | 16 | 14 | 12 | 5 | 35 | 42 | 140 |

Probenahmedatum

| | | | | | | | | |
|-------------------|-----|----|----|----|----|-----|-----|-----|
| 2. Kalenderwoche | 18 | 40 | 44 | 30 | 31 | 102 | 114 | 278 |
| 3. Kalenderwoche | 62 | 35 | 31 | 18 | 10 | 61 | 83 | 561 |
| 4. Kalenderwoche | 154 | 23 | 30 | 24 | 12 | 66 | 77 | 366 |
| 5. Kalenderwoche | 322 | 30 | 30 | 23 | 9 | 78 | 83 | 415 |
| 6. Kalenderwoche | 82 | 37 | 40 | 30 | 38 | 102 | 107 | 322 |
| 7. Kalenderwoche | 156 | 29 | 31 | 24 | 14 | 74 | 84 | 410 |
| 8. Kalenderwoche | 748 | 27 | 30 | 22 | 5 | 64 | 79 | 364 |
| 9. Kalenderwoche | 833 | 23 | 30 | 24 | 8 | 64 | 78 | 439 |
| 10. Kalenderwoche | 85 | 24 | 32 | 28 | 11 | 69 | 84 | 279 |
| 11. Kalenderwoche | - | - | - | - | - | - | - | - |
| 12. Kalenderwoche | - | - | - | - | - | - | - | - |
| 13. Kalenderwoche | - | - | - | - | - | - | - | - |
| 14. Kalenderwoche | - | - | - | - | - | - | - | - |