

| N-min-Praxisproben im Frühjahr 2013 (Stand: 26.03.2013) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Gesamt

| | | | | | | | | |
|-----------------|-------|----|----|----|---|----|----|-----|
| Proben (gesamt) | 3.732 | 22 | 26 | 23 | 8 | 62 | 71 | 343 |
|-----------------|-------|----|----|----|---|----|----|-----|

ALFF

| | | | | | | | | |
|---------|-------|----|----|----|----|----|----|-----|
| Altmark | 420 | 16 | 15 | 15 | 8 | 38 | 46 | 186 |
| Mitte | 683 | 25 | 34 | 29 | 10 | 77 | 88 | 343 |
| Anhalt | 519 | 21 | 21 | 19 | 8 | 53 | 61 | 225 |
| Süd | 2.110 | 23 | 27 | 23 | 10 | 65 | 73 | 291 |

ALFF Bodenart

| | | | | | | | | | |
|---------------------------------|----------------------------------|-----|----|----|----|----|----|-----|-----|
| A l t m a r k | Sand | 33 | 13 | 9 | 12 | 8 | 27 | 33 | 114 |
| | lehmiger Sand | 155 | 15 | 13 | 14 | 9 | 36 | 42 | 140 |
| | stark lehmiger Sand | 146 | 14 | 15 | 15 | 12 | 39 | 45 | 186 |
| | sandiger bis schluffiger Lehm | 62 | 21 | 21 | 19 | 15 | 54 | 62 | 165 |
| | Ton | 21 | 22 | 24 | 16 | 23 | 55 | 63 | 156 |
| | Schwarzerde | - | - | - | - | - | - | - | - |
| | Anmoor | 3 | 11 | 14 | 19 | 27 | 32 | 45 | 76 |
| | Niedermoor | - | - | - | - | - | - | - | - |
| M i t t e | Sand | 23 | 20 | 20 | 24 | 16 | 56 | 63 | 189 |
| | lehmiger Sand | 46 | 23 | 25 | 23 | 10 | 59 | 70 | 263 |
| | stark lehmiger Sand | 149 | 28 | 42 | 32 | 25 | 92 | 102 | 343 |
| | sandiger bis schluffiger Lehm | 179 | 23 | 33 | 31 | 15 | 77 | 87 | 264 |
| | Ton | 133 | 27 | 35 | 25 | 30 | 76 | 87 | 274 |
| | Schwarzerde | 153 | 22 | 33 | 28 | 23 | 75 | 83 | 194 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |
| A n h a l t | Sand | 57 | 22 | 16 | 17 | 17 | 42 | 54 | 172 |
| | lehmiger Sand | 210 | 21 | 19 | 17 | 11 | 50 | 57 | 224 |
| | stark lehmiger Sand | 120 | 23 | 27 | 21 | 8 | 60 | 71 | 203 |
| | sandiger bis schluffiger Lehm | 79 | 19 | 22 | 20 | 17 | 56 | 62 | 225 |
| | Ton | 13 | 25 | 29 | 22 | 32 | 64 | 76 | 143 |
| | Schwarzerde | 40 | 16 | 20 | 20 | 24 | 49 | 55 | 153 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |
| S ü d | Sand | 7 | 22 | 27 | 17 | 48 | 61 | 65 | 116 |
| | lehmiger Sand | 138 | 21 | 22 | 22 | 18 | 58 | 66 | 229 |
| | stark lehmiger Sand | 763 | 23 | 25 | 22 | 14 | 64 | 71 | 284 |
| | sandiger bis schluffiger Lehm | 781 | 23 | 26 | 23 | 10 | 64 | 71 | 291 |
| | Ton | 137 | 25 | 30 | 23 | 18 | 72 | 78 | 239 |
| | Schwarzerde | 284 | 25 | 33 | 29 | 18 | 76 | 87 | 263 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2013 (Stand: 26.03.2013) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Ackerzahlgruppe

| | | | | | | | | |
|------------|-----|----|----|----|----|----|----|-----|
| <= 20 | - | - | - | - | - | - | - | - |
| 21 ... 30 | 140 | 18 | 14 | 14 | 8 | 39 | 46 | 172 |
| 31 ... 40 | 341 | 19 | 19 | 17 | 9 | 48 | 54 | 224 |
| 41 ... 50 | 435 | 22 | 22 | 19 | 8 | 53 | 62 | 263 |
| 51 ... 60 | 436 | 21 | 23 | 20 | 14 | 56 | 63 | 239 |
| 61 ... 70 | 732 | 22 | 25 | 22 | 10 | 62 | 69 | 274 |
| 71 ... 80 | 764 | 23 | 29 | 25 | 18 | 68 | 77 | 291 |
| 81 ... 90 | 717 | 25 | 33 | 28 | 18 | 78 | 87 | 343 |
| 91 ... 100 | 167 | 24 | 33 | 30 | 15 | 78 | 86 | 264 |

Bodenart

| | | | | | | | | |
|----------------------------------|-------|----|----|----|----|----|----|-----|
| Sand | 120 | 19 | 15 | 17 | 8 | 42 | 51 | 189 |
| lehmiger Sand | 549 | 19 | 19 | 18 | 9 | 49 | 56 | 263 |
| stark lehmiger Sand | 1.178 | 23 | 26 | 23 | 8 | 63 | 72 | 343 |
| sandiger bis schluffiger Lehm | 1.101 | 23 | 26 | 23 | 10 | 64 | 72 | 291 |
| Ton | 304 | 26 | 32 | 23 | 18 | 72 | 81 | 274 |
| Schwarzerde | 477 | 23 | 32 | 28 | 18 | 73 | 83 | 263 |
| Anmoor | 3 | 11 | 14 | 19 | 27 | 32 | 45 | 76 |
| Niedermoor | - | - | - | - | - | - | - | - |

Nmin-Gehalte nach der im Herbst 2012 vorgenommenen N-Düngung

| | | | | | | | | |
|-----------------------|-------|----|----|----|----|----|----|-----|
| keine org. N-Düngung | 3.218 | 22 | 26 | 23 | 8 | 62 | 71 | 343 |
| Stallmist | 58 | 21 | 26 | 22 | 19 | 54 | 69 | 171 |
| Gülle / Jauche | 171 | 20 | 23 | 21 | 17 | 57 | 64 | 179 |
| sonstige org. Düngung | 285 | 26 | 30 | 24 | 17 | 70 | 80 | 284 |

Nmin-Gehalte für die 2013 angebaute Fruchtartengruppen aus SBA

| | | | | | | | | |
|-----------------------|-------|----|----|----|----|----|----|-----|
| Getreide | 2.314 | 23 | 27 | 24 | 8 | 65 | 74 | 291 |
| Hackfrüchte | 287 | 23 | 34 | 28 | 15 | 75 | 86 | 264 |
| Leguminosen | 12 | 23 | 26 | 23 | 30 | 75 | 72 | 108 |
| Ölfrüchte_Winter | 958 | 22 | 22 | 19 | 8 | 54 | 63 | 343 |
| Ölfrüchte_Sommer | 15 | 20 | 21 | 21 | 34 | 63 | 62 | 102 |
| Futterpflanze | - | - | - | - | - | - | - | - |
| Grünland | 59 | 18 | 17 | 17 | 10 | 45 | 52 | 139 |
| Feldgemüse | - | - | - | - | - | - | - | - |
| Heil- und Gewürz | - | - | - | - | - | - | - | - |
| Kernobst | 19 | 14 | 19 | 20 | 20 | 50 | 52 | 105 |
| Steinobst | 38 | 17 | 19 | 19 | 18 | 41 | 55 | 167 |
| Obst | - | - | - | - | - | - | - | - |
| Hopfen | 20 | 18 | 28 | 27 | 37 | 72 | 73 | 148 |
| Wein | - | - | - | - | - | - | - | - |
| Sonstiges | - | - | - | - | - | - | - | - |
| Winterzwischenfrüchte | - | - | - | - | - | - | - | - |
| Sommerzwischenfrüchte | - | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2013 (Stand: 26.03.2013) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Nmin-Gehalte nach Vorfruchtgruppe aus SBA

| | | | | | | | | |
|----------------------------|-------|----|----|----|----|----|----|-----|
| Getreide | 2.220 | 22 | 24 | 21 | 8 | 59 | 68 | 343 |
| einjähr. Körnerleguminosen | 57 | 22 | 26 | 27 | 25 | 72 | 75 | 164 |
| Ölfrüchte | 741 | 24 | 30 | 25 | 13 | 70 | 78 | 252 |
| Hackfrüchte | 491 | 22 | 31 | 27 | 11 | 69 | 80 | 291 |
| Futterpflanzen | 68 | 20 | 19 | 18 | 10 | 47 | 57 | 153 |
| Grünland | 18 | 28 | 24 | 22 | 18 | 77 | 74 | 116 |
| Feldgemüse | 21 | 22 | 31 | 26 | 10 | 74 | 79 | 175 |
| Heil- und Gewürzpflanzen | - | - | - | - | - | - | - | - |
| Obst | 58 | 16 | 19 | 19 | 18 | 44 | 54 | 167 |
| Dauerkulturen | 20 | 18 | 28 | 27 | 37 | 72 | 73 | 148 |
| sonstige / keine Angaben | 21 | 22 | 25 | 23 | 16 | 63 | 70 | 124 |
| Zwischenfrüchte | 8 | 31 | 29 | 24 | 47 | 91 | 84 | 107 |
| Brache | 7 | 10 | 8 | 9 | 17 | 22 | 27 | 56 |

Landkreise

| | | | | | | | | |
|------------------------|-----|----|----|----|----|----|----|-----|
| (kreisfrei) Dessau | 23 | 24 | 24 | 19 | 26 | 50 | 68 | 201 |
| (kreisfrei) Halle | 8 | 25 | 26 | 20 | 55 | 64 | 70 | 94 |
| (kreisfrei) Magdeburg | 52 | 28 | 31 | 27 | 33 | 80 | 87 | 274 |
| Altmarkkreis Salzwedel | 105 | 14 | 11 | 12 | 8 | 32 | 36 | 105 |
| Anhalt-Bitterfeld | 352 | 21 | 22 | 19 | 8 | 54 | 62 | 225 |
| Börde | 320 | 25 | 34 | 27 | 10 | 75 | 86 | 343 |
| Burgenlandkreis | 659 | 21 | 22 | 20 | 14 | 58 | 62 | 229 |
| Harz | 205 | 24 | 36 | 30 | 15 | 80 | 90 | 223 |
| Jerichower Land | 185 | 17 | 17 | 17 | 10 | 44 | 51 | 186 |
| Mansfeld-Südharz | 639 | 24 | 27 | 23 | 10 | 65 | 74 | 291 |
| Saalekreis | 804 | 25 | 31 | 27 | 17 | 74 | 83 | 284 |
| Salzlandkreis | 106 | 23 | 35 | 32 | 16 | 76 | 90 | 264 |
| Stendal | 130 | 16 | 16 | 15 | 15 | 38 | 47 | 165 |
| Wittenberg | 144 | 21 | 19 | 17 | 11 | 52 | 57 | 172 |

Probenahmedatum

| | | | | | | | | |
|-------------------|-------|----|----|----|----|-----|-----|-----|
| 2. Kalenderwoche | - | - | - | - | - | - | - | - |
| 3. Kalenderwoche | 97 | 30 | 36 | 28 | 17 | 80 | 94 | 252 |
| 4. Kalenderwoche | 86 | 36 | 46 | 34 | 21 | 116 | 116 | 284 |
| 5. Kalenderwoche | 73 | 21 | 22 | 19 | 14 | 55 | 62 | 194 |
| 6. Kalenderwoche | 368 | 23 | 27 | 22 | 18 | 62 | 73 | 263 |
| 7. Kalenderwoche | 792 | 22 | 25 | 22 | 14 | 59 | 68 | 274 |
| 8. Kalenderwoche | 715 | 26 | 31 | 25 | 8 | 72 | 81 | 343 |
| 9. Kalenderwoche | 292 | 20 | 23 | 21 | 10 | 52 | 63 | 291 |
| 10. Kalenderwoche | 1.147 | 20 | 23 | 21 | 8 | 58 | 64 | 229 |
| 11. Kalenderwoche | 144 | 24 | 25 | 25 | 10 | 67 | 74 | 242 |
| 12. Kalenderwoche | 18 | 22 | 22 | 20 | 41 | 58 | 64 | 153 |
| 13. Kalenderwoche | - | - | - | - | - | - | - | - |
| 14. Kalenderwoche | - | - | - | - | - | - | - | - |