

| N-min-Praxisproben im Frühjahr 2014 (Stand: 11.03.2014) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Gesamt

| | | | | | | | | |
|-----------------|------|----|----|----|---|----|----|-----|
| Proben (gesamt) | 2882 | 25 | 28 | 24 | 7 | 66 | 77 | 415 |
|-----------------|------|----|----|----|---|----|----|-----|

ALFF

| | | | | | | | | |
|---------|------|----|----|----|----|----|----|-----|
| Altmark | 410 | 18 | 16 | 15 | 7 | 40 | 49 | 238 |
| Mitte | 560 | 23 | 27 | 24 | 15 | 65 | 74 | 293 |
| Anhalt | 301 | 21 | 19 | 16 | 12 | 47 | 56 | 188 |
| Süd | 1611 | 28 | 34 | 27 | 13 | 77 | 89 | 415 |

ALFF Bodenart

| | | | | | | | | | |
|---------------------------------|----------------------------------|-----|----|----|----|----|----|-----|-----|
| A l t m a r k | Sand | 22 | 11 | 8 | 12 | 16 | 28 | 30 | 58 |
| | lehmiger Sand | 171 | 18 | 14 | 14 | 10 | 39 | 46 | 210 |
| | stark lehmiger Sand | 144 | 16 | 15 | 14 | 9 | 38 | 45 | 198 |
| | sandiger bis schluffiger Lehm | 53 | 23 | 23 | 19 | 17 | 54 | 65 | 142 |
| | Ton | 17 | 28 | 35 | 22 | 22 | 65 | 84 | 238 |
| | Schwarzerde | | | | | | | | |
| | Anmoor | 2 | 5 | 4 | 8 | 7 | 16 | 16 | 25 |
| | Niedermoor | 1 | 4 | 3 | 13 | 20 | 20 | 20 | 20 |
| M i t t e | Sand | 4 | 9 | 10 | 18 | 30 | 35 | 37 | 48 |
| | lehmiger Sand | 44 | 26 | 24 | 24 | 16 | 67 | 74 | 155 |
| | stark lehmiger Sand | 147 | 23 | 27 | 25 | 15 | 67 | 75 | 202 |
| | sandiger bis schluffiger Lehm | 183 | 24 | 30 | 26 | 18 | 70 | 81 | 293 |
| | Ton | 79 | 27 | 33 | 23 | 18 | 72 | 83 | 293 |
| | Schwarzerde | 103 | 15 | 19 | 20 | 19 | 48 | 55 | 169 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |
| A n h a l t | Sand | 21 | 13 | 12 | 14 | 14 | 35 | 39 | 80 |
| | lehmiger Sand | 82 | 24 | 20 | 16 | 12 | 52 | 60 | 188 |
| | stark lehmiger Sand | 100 | 20 | 17 | 14 | 13 | 43 | 51 | 143 |
| | sandiger bis schluffiger Lehm | 51 | 21 | 20 | 17 | 19 | 47 | 58 | 182 |
| | Ton | 3 | 10 | 17 | 9 | 14 | 39 | 37 | 57 |
| | Schwarzerde | 44 | 21 | 24 | 22 | 26 | 67 | 67 | 118 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |
| S ü d | Sand | 1 | 7 | 5 | 9 | 21 | 21 | 21 | 21 |
| | lehmiger Sand | 88 | 25 | 28 | 27 | 21 | 70 | 79 | 214 |
| | stark lehmiger Sand | 568 | 28 | 35 | 26 | 15 | 79 | 89 | 315 |
| | sandiger bis schluffiger Lehm | 686 | 27 | 32 | 26 | 13 | 74 | 86 | 405 |
| | Ton | 133 | 32 | 37 | 27 | 30 | 86 | 96 | 415 |
| | Schwarzerde | 135 | 33 | 41 | 35 | 18 | 93 | 109 | 367 |
| | Anmoor | - | - | - | - | - | - | - | - |
| | Niedermoor | - | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2014 (Stand: 11.03.2014) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Ackerzahlgruppe

| | | | | | | | | |
|------------|-----|----|----|----|----|----|----|-----|
| <= 20 | - | - | - | - | - | - | - | - |
| 21 ... 30 | 128 | 17 | 12 | 11 | 7 | 37 | 40 | 173 |
| 31 ... 40 | 253 | 20 | 16 | 14 | 10 | 41 | 50 | 214 |
| 41 ... 50 | 362 | 22 | 23 | 18 | 12 | 51 | 64 | 293 |
| 51 ... 60 | 315 | 23 | 26 | 21 | 17 | 57 | 70 | 315 |
| 61 ... 70 | 591 | 26 | 29 | 24 | 17 | 72 | 79 | 296 |
| 71 ... 80 | 577 | 28 | 35 | 28 | 13 | 83 | 91 | 415 |
| 81 ... 90 | 511 | 29 | 35 | 30 | 18 | 78 | 94 | 405 |
| 91 ... 100 | 145 | 23 | 31 | 29 | 20 | 72 | 83 | 378 |

Bodenart

| | | | | | | | | |
|----------------------------------|-----|----|----|----|----|----|----|-----|
| Sand | 48 | 12 | 10 | 13 | 14 | 31 | 34 | 80 |
| lehmiger Sand | 385 | 22 | 20 | 19 | 10 | 48 | 60 | 214 |
| stark lehmiger Sand | 959 | 25 | 29 | 23 | 9 | 65 | 76 | 315 |
| sandiger bis schluffiger Lehm | 973 | 26 | 30 | 25 | 13 | 71 | 82 | 405 |
| Ton | 232 | 30 | 35 | 25 | 14 | 77 | 90 | 415 |
| Schwarzerde | 282 | 25 | 31 | 28 | 18 | 69 | 83 | 367 |
| Anmoor | 2 | 5 | 4 | 8 | 7 | 16 | 16 | 25 |
| Niedermoor | 1 | 4 | 3 | 13 | 20 | 20 | 20 | 20 |

Nmin-Gehalte nach der im Herbst 2013 vorgenommenen N-Düngung

| | | | | | | | | |
|-----------------------|------|----|----|----|----|----|----|-----|
| keine org. N-Düngung | 2494 | 25 | 28 | 23 | 7 | 65 | 77 | 415 |
| Stallmist | 28 | 28 | 32 | 27 | 20 | 64 | 86 | 339 |
| Gülle / Jauche | 194 | 25 | 31 | 25 | 13 | 68 | 81 | 293 |
| sonstige org. Düngung | 166 | 25 | 28 | 24 | 16 | 69 | 76 | 283 |

Nmin-Gehalte für die 2014 angebaute Fruchtartengruppen aus SBA

| | | | | | | | | |
|-----------------------|------|----|----|----|----|-----|-----|-----|
| Getreide | 1867 | 25 | 29 | 24 | 9 | 67 | 77 | 415 |
| Hackfrüchte | 205 | 35 | 41 | 34 | 28 | 111 | 111 | 350 |
| Leguminosen | 10 | 23 | 25 | 20 | 13 | 62 | 68 | 137 |
| Ölfrüchte_Winter | 634 | 23 | 26 | 21 | 13 | 58 | 69 | 339 |
| Ölfrüchte_Sommer | 21 | 19 | 17 | 13 | 22 | 45 | 49 | 102 |
| Futterpflanze | - | - | - | - | - | - | - | - |
| Grünland | 71 | 26 | 25 | 16 | 7 | 49 | 67 | 405 |
| Feldgemüse | 5 | 20 | 25 | 23 | 31 | 47 | 68 | 129 |
| Heil- und Gewürz | - | - | - | - | - | - | - | - |
| Kernobst | 6 | 23 | 19 | 11 | 40 | 53 | 53 | 68 |
| Steinobst | 25 | 25 | 22 | 20 | 18 | 52 | 67 | 177 |
| Obst | - | - | - | - | - | - | - | - |
| Hopfen | 6 | 20 | 20 | 23 | 41 | 69 | 63 | 84 |
| Wein | - | - | - | - | - | - | - | - |
| Sonstiges | - | - | - | - | - | - | - | - |
| Winterzwischenfrüchte | 13 | 25 | 17 | 14 | 33 | 51 | 56 | 89 |
| Sommerzwischenfrüchte | - | - | - | - | - | - | - | - |

| N-min-Praxisproben im Frühjahr 2014 (Stand: 11.03.2014) | Proben- anzahl | Mittelwerte Brutto N-Gehalt | | | Brutto N-Gehalt (Summe) | | | |
|---|-------------------|-----------------------------|----------|----------|-------------------------|--------|--------|-----|
| | | 0-30 cm | 30-60 cm | 60-90 cm | Min | Median | Mittel | Max |
| | | [--- ---- kg / ha ----] | | | | | | |

Nmin-Gehalte nach Vorruchtgruppe aus SBA

| | | | | | | | | |
|----------------------------|------|----|----|----|----|----|----|-----|
| Getreide | 1584 | 24 | 27 | 23 | 10 | 62 | 73 | 415 |
| einjähr. Körnerleguminosen | 36 | 23 | 28 | 25 | 15 | 64 | 75 | 290 |
| Ölfrüchte | 687 | 27 | 32 | 26 | 12 | 73 | 84 | 382 |
| Hackfrüchte | 394 | 28 | 32 | 26 | 9 | 78 | 86 | 350 |
| Futterpflanzen | 63 | 21 | 21 | 15 | 15 | 42 | 58 | 405 |
| Grünland | 24 | 34 | 31 | 20 | 7 | 77 | 85 | 173 |
| Feldgemüse | 12 | 15 | 16 | 17 | 20 | 42 | 48 | 114 |
| Heil- und Gewürzpflanzen | - | - | - | - | - | - | - | - |
| Obst | 46 | 23 | 22 | 19 | 18 | 55 | 64 | 177 |
| Dauerkulturen | 5 | 20 | 19 | 23 | 41 | 69 | 62 | 84 |
| sonstige / keine Angaben | 7 | 20 | 20 | 20 | 25 | 51 | 59 | 120 |
| Zwischenfrüchte | 20 | 30 | 30 | 20 | 33 | 58 | 80 | 344 |
| Brache | | | | | | | | |

Landkreise

| | | | | | | | | |
|------------------------|-----|----|----|----|----|----|----|-----|
| (kreisfrei) Dessau | 5 | 18 | 15 | 12 | 31 | 39 | 45 | 71 |
| (kreisfrei) Halle | - | - | - | - | - | - | - | - |
| (kreisfrei) Magdeburg | 51 | 13 | 16 | 17 | 18 | 41 | 46 | 121 |
| Altmarkkreis Salzwedel | 67 | 14 | 11 | 13 | 10 | 28 | 38 | 125 |
| Anhalt-Bitterfeld | 141 | 21 | 20 | 18 | 12 | 55 | 60 | 188 |
| Börde | 196 | 23 | 27 | 24 | 15 | 66 | 75 | 293 |
| Burgenlandkreis | 548 | 30 | 39 | 28 | 13 | 83 | 97 | 382 |
| Harz | 195 | 23 | 27 | 24 | 18 | 67 | 74 | 293 |
| Jerichower Land | 126 | 20 | 18 | 17 | 7 | 45 | 55 | 238 |
| Mansfeld-Südharz | 475 | 24 | 25 | 21 | 17 | 62 | 71 | 276 |
| Saalekreis | 588 | 31 | 36 | 31 | 15 | 86 | 97 | 415 |
| Salzlandkreis | 118 | 26 | 32 | 27 | 27 | 74 | 85 | 199 |
| Stendal | 217 | 18 | 16 | 14 | 9 | 42 | 48 | 198 |
| Wittenberg | 155 | 21 | 17 | 14 | 14 | 45 | 52 | 182 |

Probenahmedatum

| | | | | | | | | |
|-------------------|-----|----|----|----|----|----|----|-----|
| 2. Kalenderwoche | 89 | 23 | 41 | 16 | 13 | 71 | 80 | 280 |
| 3. Kalenderwoche | - | - | - | - | - | - | - | - |
| 4. Kalenderwoche | 19 | 26 | 25 | 22 | 28 | 70 | 73 | 165 |
| 5. Kalenderwoche | 234 | 25 | 27 | 23 | 10 | 64 | 75 | 344 |
| 6. Kalenderwoche | 453 | 24 | 27 | 23 | 15 | 63 | 74 | 415 |
| 7. Kalenderwoche | 815 | 27 | 32 | 26 | 9 | 69 | 85 | 382 |
| 8. Kalenderwoche | 689 | 24 | 26 | 22 | 12 | 63 | 72 | 320 |
| 9. Kalenderwoche | 540 | 25 | 28 | 24 | 10 | 65 | 77 | 405 |
| 10. Kalenderwoche | 43 | 23 | 18 | 18 | 7 | 53 | 58 | 135 |
| 11. Kalenderwoche | - | - | - | - | - | - | - | - |
| 12. Kalenderwoche | - | - | - | - | - | - | - | - |
| 13. Kalenderwoche | - | - | - | - | - | - | - | - |
| 14. Kalenderwoche | - | - | - | - | - | - | - | - |