

N-min-Praxisproben im Frühjahr 2017 (Stand: 21.02.2017)	Proben- anzahl	Mittelwerte Brutto N-Gehalt			Brutto N-Gehalt (Summe 0-90 cm)			
		0-30 cm	30-60 cm	60-90 cm	Min	Median	Mittel	Max
		[--- ---- kg / ha ----]						

Gesamt

Proben (gesamt)	1176	34	46	37	13	105	117	485
-----------------	------	----	----	----	----	-----	-----	-----

ALFF

Altmark	153	23	24	24	13	55	71	301
Mitte	225	34	53	40	16	124	127	485
Anhalt	204	32	43	35	26	76	111	365
Süd	594	38	50	39	18	116	127	436

ALFF Bodenart

A l t m a r k	Sand	8	19	12	28	25	55	57	75
	lehmiger Sand	33	16	13	19	17	39	47	104
	stark lehmiger Sand	53	21	22	25	13	59	68	219
	sandiger bis schluffiger Lehm	55	31	34	27	15	76	92	301
	Ton	4	22	25	18	44	62	65	90
	Schwarzerde	-	-	-	-	-	-	-	-
	Anmoor	-	-	-	-	-	-	-	-
	Niedermoor	-	-	-	-	-	-	-	-
M i t t e	Sand	-	-	-	-	-	-	-	-
	lehmiger Sand	19	26	35	36	16	78	98	316
	stark lehmiger Sand	35	33	54	40	20	119	128	245
	sandiger bis schluffiger Lehm	88	37	57	41	21	134	134	485
	Ton	56	30	57	40	23	131	127	262
	Schwarzerde	27	35	47	36	38	109	117	203
	Anmoor	-	-	-	-	-	-	-	-
	Niedermoor	-	-	-	-	-	-	-	-
A n h a l t	Sand	65	26	29	26	27	52	81	260
	lehmiger Sand	32	28	36	26	37	82	90	294
	stark lehmiger Sand	77	40	58	47	26	112	145	365
	sandiger bis schluffiger Lehm	30	32	44	34	29	64	110	352
	Ton	-	-	-	-	-	-	-	-
	Schwarzerde	-	-	-	-	-	-	-	-
	Anmoor	-	-	-	-	-	-	-	-
	Niedermoor	-	-	-	-	-	-	-	-
S ü d	Sand	4	9	7	12	25	26	27	33
	lehmiger Sand	39	24	35	32	22	80	90	268
	stark lehmiger Sand	168	38	46	38	20	112	122	339
	sandiger bis schluffiger Lehm	262	41	55	41	25	124	137	436
	Ton	32	36	52	38	38	119	126	261
	Schwarzerde	89	36	50	40	18	118	126	313
	Anmoor	-	-	-	-	-	-	-	-
	Niedermoor	-	-	-	-	-	-	-	-

N-min-Praxisproben im Frühjahr 2017 (Stand: 21.02.2017)	Proben- anzahl	Mittelwerte Brutto N-Gehalt			Brutto N-Gehalt (Summe 0-90 cm)			
		0-30 cm	30-60 cm	60-90 cm	Min	Median	Mittel	Max
		[--- ---- kg / ha ----]						

Ackerzahlgruppe

<= 20	2	10	13	13	25	36	36	46
21 ... 30	56	21	15	17	20	47	53	220
31 ... 40	105	24	30	26	16	60	80	294
41 ... 50	162	27	38	32	13	87	97	291
51 ... 60	133	33	42	34	28	90	109	352
61 ... 70	276	35	46	37	15	111	118	335
71 ... 80	191	43	61	46	25	128	150	485
81 ... 90	219	39	55	43	38	130	137	412
91 ... 100	32	37	60	45	51	134	142	436

Bodenart

Sand	77	25	26	25	25	51	76	260
lehmiger Sand	123	23	29	27	16	65	80	316
stark lehmiger Sand	333	35	46	38	13	105	119	365
sandiger bis schluffiger Lehm	435	38	52	39	15	119	129	485
Ton	92	32	54	38	23	122	124	262
Schwarzerde	116	36	50	39	18	117	124	313
Anmoor	-	-	-	-	-	-	-	-
Niedermoor	-	-	-	-	-	-	-	-

Nmin-Gehalte nach der im Herbst 2016 vorgenommenen N-Düngung

keine org. N-Düngung	1003	34	46	37	13	105	117	485
Stallmist	23	25	32	30	25	72	87	254
Gülle / Jauche	87	32	43	36	18	99	111	274
sonstige org. Düngung	63	39	51	41	31	118	130	278

Nmin-Gehalte für die 2017 angebaute Fruchtartengruppen aus SBA

Getreide	711	34	46	37	15	104	117	485
Hackfrüchte	112	34	43	34	21	112	111	326
Leguminosen	11	19	22	21	33	53	61	111
Ölfrüchte_Winter	323	37	47	37	13	108	121	436
Ölfrüchte_Sommer	-	-	-	-	-	-	-	-
Futterpflanze	-	-	-	-	-	-	-	-
Grünland	-	-	-	-	-	-	-	-
Feldgemüse	-	-	-	-	-	-	-	-
Heil- und Gewürz	-	-	-	-	-	-	-	-
Kernobst	-	-	-	-	-	-	-	-
Steinobst	-	-	-	-	-	-	-	-
Obst	-	-	-	-	-	-	-	-
Hopfen	-	-	-	-	-	-	-	-
Wein	5	22	29	19	32	67	69	96
Sonstiges	-	-	-	-	-	-	-	-
Winterzwischenfrüchte	-	-	-	-	-	-	-	-
Sommerzwischenfrüchte	-	-	-	-	-	-	-	-

N-min-Praxisproben im Frühjahr 2017 (Stand: 21.02.2017)	Proben- anzahl	Mittelwerte Brutto N-Gehalt			Brutto N-Gehalt (Summe 0-90 cm)			
		0-30 cm	30-60 cm	60-90 cm	Min	Median	Mittel	Max
		[--- ---- kg / ha ----]						

Nmin-Gehalte nach Vorfruchtgruppe aus SBA

Getreide	654	34	42	34	13	101	110	436
einjähr. Körnerleguminosen	34	40	55	46	36	142	141	278
Ölfrüchte	232	35	48	38	16	107	121	352
Hackfrüchte	184	36	56	43	19	120	135	485
Futterpflanzen	11	19	24	24	15	51	67	142
Grünland	-	-	-	-	-	-	-	-
Feldgemüse	5	40	54	44	102	122	137	203
Heil- und Gewürzpflanzen	-	-	-	-	-	-	-	-
Obst	8	33	57	45	47	88	135	412
Dauerkulturen	5	22	29	19	32	67	69	96
sonstige / keine Angaben	32	29	44	34	26	105	107	208
Zwischenfrüchte	-	-	-	-	-	-	-	-
Brache	6	48	73	56	25	186	177	347

Landkreise

Altmarkkreis Salzwedel	9	24	23	25	33	46	72	158
Anhalt-Bitterfeld	116	41	60	47	26	118	147	365
Börde	114	28	49	38	16	116	115	316
Burgenlandkreis	162	40	45	35	32	112	120	339
Harz	59	44	59	41	54	141	144	326
Jerichower Land	28	17	17	22	13	58	56	90
Mansfeld-Südharz	163	44	63	47	25	149	154	436
Saalekreis	269	33	45	37	18	101	115	404
Salzlandkreis	52	34	57	41	49	124	132	485
Stendal	116	25	26	25	15	55	75	301
Wittenberg	88	22	21	20	27	51	63	220

Probenahmedatum

1. Kalenderwoche	33	34	41	31	24	103	105	207
2. Kalenderwoche	29	41	69	49	87	161	159	301
3. Kalenderwoche	-	-	-	-	-	-	-	-
4. Kalenderwoche	59	20	30	23	13	46	74	220
5. Kalenderwoche	137	33	40	33	26	97	106	294
6. Kalenderwoche	773	36	49	39	18	109	124	485
7. Kalenderwoche	145	31	37	30	22	89	98	322
8. Kalenderwoche	-	-	-	-	-	-	-	-
9. Kalenderwoche	-	-	-	-	-	-	-	-
10. Kalenderwoche	-	-	-	-	-	-	-	-
11. Kalenderwoche	-	-	-	-	-	-	-	-